



Inventory as of 04/01/2026

Dimension	Size	Qty	SqFt
10'x10'	100	46	4,600
10'x20'	200	5	1,000
<b>Totals:</b>		<b>51</b>	<b>5,600</b>



2575 NORTHWEST PKWY  
 ELGIN, IL 60124  
 P: 847.426.3100  
 F: 847.426.3111  
 www.vipertradeshow.com

WASA 2026  
 OCTOBER 21-23, 2026  
 PEPPERMILL RESORT & CASINO  
 NAPLES BALLROOM  
 RENO, NV

SHOW INFO	REVISION DATE	KEY	CAPACITY INFO	ROOM	DISCLAIMER
SHOW OPENS: SHOW CLOSES: MOVE IN: MOVE OUT: CONTACT: PHONE:	4.1.26	FE-FIRE EQUIPMENT ALL EXITS 6' UNLESS NOTED ALL DRAPE USSED MEETS FLAME RETARDANT FIRE CODE	GUESTS: N/A TOTAL SQ FT: 12200 USABLE SQ FT: 12200 MAX OCCUPANCY: 813 MAX ALLOWED OCCUPANCY: 813 EXIT FEET REQD: 13' FIRE EXITS GIVEN: 48' FIRE EXTINGUISHERS REQD: 4 FIRE EXTINGUISHERS GIVEN: N/A	MAX OCCUPANCY 12200 sqft divided by 15 = 813 Linear footage of exits REQUIRED, 813 divided by 60 = 13' Fire Exits Req, 813 Times .02 = 16' Fire Exits Given: 48' Fire Extinguishers Req: 12200 sqft divided by 3000 = 4 Fire Extinguishers Given: N/A	Every effort has been made to ensure the accuracy of all information contained on this floor plan. However, no warranties, either expressed or implied, are made with respect to this floor plan. If the location of the building columns, utilities or other architectural components of the facility is a consideration in the construction or usage of an exhibit, it is the sole responsibility of the exhibitor to physically inspect the facility to verify all dimensions and locations.  Doors that are blocked or unavailable and are not needed to meet the minimum exit requirement will have exit signs covered.  There will be no candles, pyro-technics or open flames that have not been properly permitted used in this event.
	DRAWN BY	SCALE			
	M. MOSES	1" = x UNITS			